

INDEX


SALIENT FEATURES	6
OUTDOOR UNIT LINEUP	19
INDOOR UNIT LINEUP	20
SPECIFICATIONS	39
OUTDOOR UNIT COMBINATIONS	54
OPTION LIST	55
CONTROL SYSTEMS	59
AIR TREATMENT EQUIPMENT LINEUP	76

VRV X

Equipped with Advanced Technology, that results in high energy efficiency. This technological innovation gives end user the advantage of better comfort and work further towards creating a sustainable environment.



OUTDOOR UNIT LINEUP



High external static pressure

VRV X outdoor unit has achieved high external static pressure up to 78.4 Pa, ensuring the efficient heat dissipation and stable operation of equipment in either hierarchical or intensive arrangement.

78.4 Pa

- More options in the opening/angle of louvre
- Outstanding heat dissipation effect in both hierarchical and intensive arrangement



Outdoor Units

The outdoor unit capacity is up to 60 HP in increment of 2 HP.

- VRV X outdoor unit offers a higher capacity of up to 60 HP, responding to the needs of large-sized buildings.
- The single outdoor unit has only 2 different shapes and dimensions, not only simplifying the design process, but also bringing the system flexibility to a new level.
- With the outdoor unit capacity increased in increment of 2 HP, customers' needs can be precisely met.

Standard Type

• Single Outdoor Units

6, 8, 10, 12 HP



RX(Y)Q6ARY6
RX(Y)Q8ARY6
RX(Y)Q10ARY6
RX(Y)Q12ARY6

14, 16 HP



RX(Y)Q14ARY6
RX(Y)Q16ARY6

18, 20 HP



RX(Y)Q18ARY6
RX(Y)Q20ARY6

22, 24 HP



RX(Y)Q22ARY6
RX(Y)Q24ARY6

26, 28, 30, 32 HP



RX(Y)Q26ARY6
RX(Y)Q28ARY6
RX(Y)Q30ARY6
RX(Y)Q32ARY6

• Double Outdoor Units

34, 36, 38, 40 HP



RX(Y)Q34ARY6
RX(Y)Q36ARY6
RX(Y)Q38ARY6
RX(Y)Q40ARY6

• Triple Outdoor Units

42, 44, 46, 48, 50, 52 HP



RX(Y)Q42ARY6
RX(Y)Q44ARY6
RX(Y)Q46ARY6
RX(Y)Q48ARY6
RX(Y)Q50ARY6
RX(Y)Q52ARY6

54, 56, 58, 60 HP



RX(Y)Q54ARY6
RX(Y)Q56ARY6
RX(Y)Q58ARY6
RX(Y)Q60ARY6

Lineup

HP	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
Cooling Only/ Heat Pump	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

INDOOR UNIT LINEUP



Enhanced Range Of Choices

A variety of VRV indoor units are enabled in one system, opening the door to stylish and quiet indoor units.

VRV Indoor Units		17 types 86 models																
Type	Model Name	Capacity Range Capacity Index	0.8 HP 20	1 HP 25	1.25 HP 31.25	1.6 HP 40	2 HP 50	2.5 HP 62.5	3 HP 71	3.2 HP 80	4 HP 100	5 HP 125	6 HP 140	7 HP 170	8 HP 200	10 HP 250	16 HP 400	20 HP 500
Ceiling Mounted Cassette (Round Flow with Sensing) (Optional)	VRT FXFQ-SVM																	
Ceiling Mounted Cassette (Round Flow)	New FXFQ-AVM VRT Smart Control																	
Ceiling Mounted Cassette (Compact Multi Flow)	VRT FXZQ-MVE																	
Ceiling Mounted Cassette (Double Flow)	VRT FXCQ-MVE																	
Ceiling Mounted Cassette Corner	VRT FXEQ-AV																	
Slim Ceiling Mounted Duct	New FXDQ-PDV36 (with drain pump) VRT Smart Control																	
	New FXDQ-NDV36 (with drain pump) VRT Smart Control																	
	New FXMQ-PBV36 VRT Smart Control																	
Ceiling Mounted Duct	VRT FXMQ-NVE																	
Mid Static Ceiling Mounted Duct	New VRT FXMQ-ARV16																	
Ceiling Suspended	VRT FXHQ-MAVE																	
4-Way Flow Ceiling Suspended	VRT FXUQ-AVEB																	
Wall Mounted	VRT FXAQ-PVE																	
Floor Standing	VRT FXLQ-MAVE																	
Concealed Floor Standing	VRT FXNQ-MAVE																	
Floor Standing Duct	VRT FXVQ-NY1 (6)																	
Clean Room Air Conditioner	New VRT FXBQ-PVE																	
	VRT FXBPQ-PVE																	

At Daikin, we offer a wide range of indoor units, including both VRV and residential models, responding to a variety of needs of our customers that require airconditioning solutions.

VRV Indoor Units

Ceiling Mounted Cassette (Round Flow with Sensing) Type (Optional)

FXFQ-SVM



Presence of people and floor temperature can be detected to provide comfort and energy savings



Ceiling Mounted Cassette (Compact Multi Flow) Type

FXZQ-MVE



Quiet, compact, and designed for user comfort



Ceiling Mounted Cassette (Round Flow)

FXFQ-AVM

New



360° airflow improves temperature distribution and offers a comfortable living environment.



Ceiling Mounted Cassette (Double Flow) Type

FXCQ-MVE



Thin, lightweight, and easy to install in narrow ceiling spaces



Ceiling Mounted Cassette Corner Type

FXEQ-AVE



Slim design for flexible installation



Slim Ceiling Mounted Duct Type

FXDQ-PDV36

New



FXDQ-NDV36

New



Slim design, quietness and static pressure switching



Ceiling Mounted Duct Type

New

FXMQ-PBV36



FXMQ-ARV16

FXMQ-NVE



High external static pressure allows flexible installations



4-Way Flow Ceiling Suspended Type

FXUQ-AVEB



This slim and stylish indoor unit achieves optimum air distribution, and can be installed without the need for ceiling cavity.

